

Available front and body colours*:

	U109BS	U1331 PE		
Patient Care	U522PE	U119PE	U135PE	
	U1330PE	U504PE	U1301PE	D327BS
	U148 PE	U131 PE	U136 PE	D1353BS
	D1454BS	D1452BS	D1453BS	D375PR
	U153PE	U158PE	U155 PE	D391PR
	U126PE	U130PE	U123PE	D1202BS
	U1310PE	U1311PE	U1312PE	D381PR
	U569BS	U112PE	U544BS	D333PR
	U540PE	U171PE	U140PE	D620PR
	U159PE	U128PE	U190PE	D382PR
U121PE	U125PE		D344PR	

In order to facilitate tasks in the hospital and old age people home, patient care carts are needed, that:

- can be customized to meet individual needs
- are highly manoeuvrable
- are easy to clean and well constructed
- meet the highest quality standards



POWL214F/C

The quality of our products are tested in our laboratory. Our full extension drawers are tested with more than 500.000 operations.

The patient care carts can be customized by choosing various components.

* printed colours might not be reliable.

Hammerlit POW - Checklist: Configure your personal patient care cart:

Body - edition

Topline



Body and front made from high pressure laminate coated plywood construction with 2 mm polymer border.

Advantage in weight concerning to Proline edition: 28% (regarding body)

Proline



Body and front made from melamin coated particleboard complete with a 2 mm thick polymer border.

Chassis

Polymer frame



smooth surface, hygienic, low weight

Polymer plate



complete polymer plate, easy to clean, hygienic, very sturdy

Stainless steel



Stainless steel frame with wrap around bumper, recommended for use on rough and uneven floors

Colours of handles*:

meadow green (005)	forest green (015)	steel blue (025)	ultramar. blue (035)	
buttercup yellow (045)	ruby red (055)	burgundy (065)	coffee brown (075)	
pure white (085)	light grey (095)	stone grey (105)	anthrac. grey (115)	jet black (125)

* printed colours might not be reliable.





POWL214F/C Dressing Trolley



POWL214A/C/S Documentation Cart



POWP814E/C Service Cart with trays



POWL209/S Dressing Trolley



POWL214G/C/S Instrument Cart



POWP714A/C
Service Cart with Roll top and trays



POWL114E/C Visit Trolley



POWL311B/C/S Visit Trolley



POWP814F/C/S Dressing Trolley with trays

NEWS from Hammerlit:



Laptop Cart POWL BBA

Laptop Cart, Outside dimensions

580x650x1110/1460 mm (WxDxH)

- sinkable laptop compartment, lockable
- swing mechanism with damping system for safe operation
- backside compartment for AC/DC adaptor, lockable
- fold down utility shelf on working level
- 1 full extension file drawer 378 mm (6HE), inside dim. (WxD) 325x360 mm
- 1 full extension drawer 126 mm (2HE), inside dim. (WxD) 325x465 mm
- 1 full extension drawer 189 mm (3HE), inside dim. (WxD) 325x465mm




Model 311B/S

- Visit Trolley, Outside dimensions (WxDxH) = 960x620x1030(930*) mm**
 11 Height units with ABS Top,
Narrow bay – 1 full extension drawer 126 mm, inside dim. (WxDxH) 205x450x100 mm (2 HE)
 – 1 full extension drawer 189 mm, inside dim. (WxDxH) 205x450x165 mm (3 HE)
 – 1 X-ray storage, inside dim. (WxDxH) 262x498x360 mm, 4 compartments 62 mm
Wide bay: – 1 full extension file drawer 378 mm, (6 HE), inside dim. (WxD) 441x430 mm, usable height = 300 mm
 – 1 full extension drawer 126 mm, inside dim. (WxDxH) 455x450x100 mm (2 HE)
 – 1 full extension drawer 189 mm, inside dim. (WxDxH) 455x450x165 mm (3 HE)


Here are some examples of configured carts. Other individual configurations on request.


Model 114E

- Visit Trolley, Outside dimensions (WxDxH) = 580x555x1125 (1120*) mm**
 14 Height units with ABS Top,
 – 1 open compartment, inside dim. (WxDxH) 410x400x113 mm (2 HE)
 – 1 full extension file drawer 378 mm (6 HE), inside dim. (WxD) 320x350 mm, usable height = 300 mm
 – 1 full extension drawer 126 mm, inside dim. (WxDxH) 222x370x100 mm
 – 1 open compartment with drawer box
 – 1 X-ray storage (WxDxH)= 88x400x360 mm
 – 2 hooks for patient card files


Model 114F

- Visit Trolley, Outside dimensions (WxDxH) = 580x555x1125 (1120*) mm**
 14 Height units with ABS Top,
 – 1 open compartment, inside dim. (WxDxH) 410x400x113 mm
 – 1 full extension file drawer 378 mm (6 HE), inside dim. (WxD) 320x350 mm, usable height = 300 mm
 – 1 X-ray storage, inside dim. (WxDxH) 410x400x360 mm, 6 compartments each 65 mm (6 HE)


Model 114G

- Visit Trolley, Outside dimensions (WxDxH) = 580x555x1125 (1120*) mm**
 14 Height units with ABS Top,
 – 1 utensil drawer (1HE)
 – 1 full extension file drawer 378 mm (6 HE), inside dim. (WxD) 320x350 mm, usable height = 300 mm
 – 1 open compartment with drawer boxes
 – 1 X-ray storage, inside dim. (WxDxH) 88x400x430 mm, 2 compartments each 40 mm.


Model 214H

- Visit Trolley, Outside dimensions (WxDxH) = 680x620x1220(1120*) mm**
 14 Height units with ABS Top,
 – 1 full extension drawer 126 mm, inside dim. (WxDxH) 455x450x100 mm (2 HE)
 – 1 full extension file drawer 378 mm, (6 HE) , inside dim. (WxD) 441x430 mm, usable height = 300 mm
 – 1 X-ray storage, (6 HE)

* Height of working surface

HE = Height Unit (1 HE = 63 mm)

Visit Trolleys

Patient Care



Model 314A

Visit Trolley, Outside dimensions (WxDxH) = 960x620x1220(1120*) mm

- 14 Height units with ABS Top,
- 1 full extension drawer 126 mm, inside dimensions (WxDxH) 710x450x100 mm (2 HE)
- 1 full extension file drawer 378 mm, (6 HE), inside dimensions (BxTxH) 723x430mm, usable height = 300 mm
- 1 X-ray storage, inside dim. (WxDxH) 793x498x378 mm, 10 compartments 75 mm (6 HE)



Model 314B

Visit Trolley, Outside dimensions (WxDxH) = 960x620x1220(1120*) mm

- 14 Height units with ABS Top,
- 1 open compartment, inside dimensions (WxDxH) 793x498x113 mm (2 HE)
- 1 X-ray storage, inside dim. (WxDxH) 793x498x378 mm, 10 compartments 75 mm (6 HE)

Narrow bay: 3 full extension drawers 126 mm, inside dim. (WxDxH) 205x450x100 mm (2 HE)

Wide bay: 1 full extension file drawer 378 mm, (6 HE), inside dim. (WxD) 441x430 mm, usable height = 300 mm

Instrument Carts



Model 214G/C/S

Instrument Cart, Outside dimensions (WxDxH) = 680x620x1220(1120*) mm

- 14 Height units with ABS Top,
- 2 full extension drawers 94,5mm, inside dimensions (WxDxH) 455x450x70 mm (1,5 HE)
- 4 full extension drawers 126 mm, inside dim. (WxDxH) 455x450x100 mm (2 HE)
- 1 full extension drawer 189 mm, inside dim. (WxDxH) 455x450x165 mm (3 HE)

* Height of working surface

HE = Height Unit (1 HE = 63 mm)


Model 214A/C/S
Documentation Cart, Outside dimensions (WxDxH) = 680x620x1220 (1120*) mm

- 14 Height units with ABS Top,
- 1 full extension drawer 126 mm, inside dim. (WxDxH) 455x450x100 mm (2 HE)
 - 2 full extension file drawers 378 mm, (6HE), inside dim. (WxD) 441x430 mm, usable height = 300 mm

Model shown here with additional fold down shelf.

Here are some examples of configured carts. Other individual configurations on request.


Model 211E
Documentation Cart, Outside dimensions (WxDxH) = 680x620x1030 (930*) mm

- 11 Height units with ABS Top,
- 1 full extension drawer 126 mm, inside dim. (WxDxH) 455x450x100 mm (2 HE)
 - 1 full extension drawer 189 mm, inside dim. (WxDxH) 455x450x165 mm (3 HE)
 - 1 full extension file drawer 378 mm, (6 HE), inside dim. (WxD) 441x430 mm, usable height = 300 mm


Model 214D
Documentation Cart, Outsidedimensions (WxDxH) = 680x620x1220(1120*) mm

- 14 Height units with ABS Top,
- 1 full extension drawer 126 mm inside dim. (WxDxH) 455x450x100 mm (2 HE)
 - 2 full extension drawers 189 mm inside dim. (WxDxH) 455x450x165 mm (3 HE)
 - 1 full extension file drawer 378 mm, (6 HE), inside dim. (WxD) 441x430 mm, usable height = 300 mm


Model 214E
Documentation Cart, Outside dimensions (WxDxH) = 680x620x1220 (1120*) mm

- 14 Height units with ABS Top,
- 1 utensil drawer, inside dim. (WxD) 455x450 mm (1 HE)
 - 1 full extension file drawer 378 mm, (6 HE), inside dim. (WxD) 441x430 mm, usable height = 300 mm
 - 2 full extension drawers 126 mm, inside dim. (WxDxH) 455x450x100 mm (2 HE)
 - 1 full extension drawer 189 mm, inside dim. (WxDxH) 455x450x165 mm (3 HE)


Model 314D
Documentation Cart, Outside dimensions (WxDxH) = 960x620x1220(1120*) mm

- 14 Height units with ABS Top,
- Narrow bay:* - 3 full extension drawers 126 mm, inside dim. (WxDxH) 205x450x100 mm (2 HE)
 - 1 closed compartment with 1 leaved door, inside dim. (WxDxH) 262x498x504 (8 HE)
 - Wide bay:* - 1 full extension file drawer 378 mm, (6 HE), inside dim. (WxD) 441x430 mm, usable height = 300 mm

* Height of working surface

HE = Height Unit (1 HE = 63 mm)


POWL 214F/C
Dressing Trolley, Outside dimensions (WxDxH) = 680x620x1220(1120*) mm

- 14 Height units with ABS Top,
- 1 full extension drawer 126 mm, inside dimensions (WxDxH) 455x450x100 mm (2 HE)
 - 1 full extension drawer 189 mm, inside dimensions (WxDxH) 455x450x165 mm (3 HE)
 - closed compartment with 2 leaved doors, fixed shelf inside, inside dim. (WxDxH) 512x498x560 mm

Here are some examples of configured carts. Other individual configurations on request.


Model 209A
Dressing Trolley, Outside dimensions (WxDxH) = 680x620x900 (805*) mm

- 9 Height units with ABS Top,
- 1 utensil drawer, inside dim. (WxD) 455x450 mm (1 HE)
 - 2 full extension drawers 94,5 mm, inside dim. (WxDxH) 455x450x70 mm (1,5 HE)
 - 1 full extension drawer 126 mm, inside dim. (WxDxH) 455x450x100 mm (2 HE)
 - 1 full extension drawer 189 mm, inside dim. (WxDxH) 455x450x165 mm (3 HE)


Model 211A
Dressing Trolley, Outside dimensions (WxDxH) = 680x620x1030 (930*) mm

- 11 Height units with ABS Top,
- 1 utensil drawer, inside dim. (WxD) 455x450 mm (1 HE)
 - 2 full extension drawers 94,5 mm, inside dim. (WxDxH) 455x450x70 mm (1,5 HE)
 - 2 full extension drawers 126 mm, inside dim. (WxDxH) 455x450x100 mm (2 HE)
 - 1 full extension drawer 189 mm, inside dim. (WxDxH) 455x450x165 mm (3 HE)


Model 211B
Dressing Trolley, Outside dimensions (WxDxH) = 680x620x1030 (930*) mm

- 11 Height units with ABS Top,
- 1 full extension drawer 126 mm, inside dim. (WxDxH) 455x450x100 mm (2 HE)
 - 3 full extension drawers 189 mm, inside dim. (WxDxH) 455x450x165 mm (3 HE)


Model 309A
Dressing Trolley, Outside dimensions (WxDxH) = 960x620x900(805*) mm

- 9 Height units with ABS Top,
- Narrow bay :
- 3 full extension drawers 126 mm, inside dim. (WxDxH) 205x450x100 mm (2 HE)
 - 1 full extension drawer 189 mm, inside dim. (WxDxH) 205x450x165 mm (3 HE)
- Wide bay:
- 2 full extension drawers 94,5 mm, inside dim. (WxDxH) 455x450x70 mm (1,5 HE)
 - 2 full extension drawers 189 mm, inside dim. (WxDxH) 455x450x165 mm (3 HE)

* Height of working surface

HE = Height Unit (1 HE = 63 mm)


Model 311A
Dressing Trolley, Outside dimensions (WxDxH) = 960x620x1030(930*) mm

- 11 Height units with ABS Top
- 2 full extension drawers 126 mm (2HE), inside dimensions (WxDxH) 321x450x100 mm
- closed compartment with two leaved doors, inside dimensions (WxDxH) 793x498x755 mm

Here are some examples of configured carts. Other individual configurations on request.


Model 311D
Dressing Trolley, Outside dimensions (WxDxH) = 960x620x1030(930*) mm

- 11 Height units with ABS Top,
- Narrow bay:*
 - 1 full extension drawer 126 mm, inside dim. (WxDxH) 205x450x100 mm (2 HE)
 - 3 full extension drawers 189 mm, inside dim. (WxDxH) 205x450x165 mm (3 HE)
- Wide bay:*
 - 1 full extension drawer 126 mm, inside dim. (WxDxH) 455x450x100 mm (2 HE)
 - 3 full extension drawers 189 mm, inside dim. (WxDxH) 455x450x165 mm (3 HE)


Model 311E
Dressing Trolley, Outside dimensions (WxDxH) = 960x620x1030(930*) mm

- 11 Height units with ABS Top,
- Narrow bay:*
 - 2 full extension drawers 94,5 mm, inside dim. (WxDxH) 205x450x70 mm (1,5 HE)
 - 1 full extension drawer 126 mm, inside dim. (WxDxH) 205x450x100 mm (2 HE)
 - 2 full extension drawers 189 mm, inside dim. (WxDxH) 205x450x165 mm (3 HE)
- Wide bay:*
 - 2 full extension drawers 94,5 mm, inside dim. (WxDxH) 455x450x70 mm (1,5 HE)
 - 1 full extension drawer 126 mm, inside dim. (WxDxH) 455x450x100 mm (2 HE)
 - 2 full extension drawers 189 mm, inside dim. (WxDxH) 455x450x165 mm (3 HE)


Model 314E
Dressing Trolley, Outside dimensions (WxDxH) = 960x620x1220(1120*) mm

- 14 Height units with ABS Top,
- Narrow bay:*
 - 4 full extension drawers 126 mm, inside dim. (WxDxH) 205x450x100 mm (2 HE)
 - 2 full extension drawers 189 mm, inside dim. (WxDxH) 205x450x165 mm (3 HE)
- Wide bay:*
 - 4 full extension drawers 126 mm, inside dim. (WxDxH) 455x450x100 mm (2 HE)
 - 2 full extension drawers 189 mm, inside dim. (WxDxH) 455x450x165 mm (3 HE)


Model 314F
Dressing Trolley, Outside dimensions (WxDxH) = 960x620x1220(1120*) mm

- 14 Height units with ABS Top,
- 2 x 2 full extension drawers side by side, each 126 mm, inside dim. (WxDxH) 321x450x100 mm (2 HE)
- closed compartment with two leaved doors, inside dim. (WxDxH) 793x498x620 mm

* Height of working surface

HE = Height Unit (1 HE = 63 mm)


ISO-Tray Cart, Outside dimensions (WxDxH)
830x570x1220(1120*) mm

- 14 Height units with ABS Top,
- 1 compartment (WxDxH) 640x432x887 mm, liners inside to accommodate 2x6 trays (WxDxH) 300x400x100 mm
- Roll front

Model 714A/C

Here are some examples of configured carts. Other individual configurations on request.


Model 814B
ISO-Tray Cart, Outside dimensions (WxDxH) = 790x555x1220(1120*) mm

- 14 Height units with ABS Top,
- 1 closed compartment with 2 folding doors, liners inside to accommodate 6 trays (WxDxH) 600x400x100 mm


Model 814D
ISO-Tray Cart, Outside dimensions (WxDxH) = 830x555x1220(1120*) mm

- 14 Height units with ABS Top,
- 2 x 2 full extension drawers side by side, inside dim. (WxDxH) 250x345x100 mm
- 1 closed compartment (10 HE), with two folding doors, liners inside to accommodate 2x4 trays (WxDxH) 300x400x100 mm


Model 814E
ISO-Tray Cart, Outside dimensions (WxDxH) = 830x555x1220(1120*) mm















- 14 Height units with ABS Top,
- 1 narrow compartment, folding door right side, liners inside to accommodate 6 trays (WxDxH) 300x400x100 mm
- 1 full extension drawer (1,5 HE), inside dim. (WxDxH) 250x345x70 mm and 3 full extension drawers (2 HE), inside dim. (WxDxH) 250x345x100 mm as well as one bulk storage drawer (6,5 HE), inside dim. (WxDxH) 250x345x330 mm


Model 814F
ISO-Tray Cart, Outside dimensions (WxDxH) = 830x555x1220(1120*) mm

- 14 Height units with ABS Top,
- 1 compartment (14 HE), with two folding doors, liners inside to accommodate 2x4 trays (WxDxH) 300x400x100 mm on top and 2 trays (WxDxH) 600 400x100 mm on the bottom.

* Height of working surface

HE = Height Unit (1 HE = 63 mm)

		POW	EW		POW	EW
	ABS Top for fold-up side shelf and POW series 100. Outside dimensions (W x D) 455 x 510mm Edge 5mm.				ABS Top for POW series 800, 3-side ledge Outside dimensions (W x D) 765 x 490mm.	
POWZ A1				POWZ A2		
	ABS Top for POW series 200. 3-side ledge. Outside dimensions (W x D) 620 x 560mm.				ABS Top for POW series 300, 3-side ledge. Outside dimensions (W x D) 900 x 560mm.	
POWZ A5				POWZ A6		
	3-way guard, stainless steel, welded tube construction. Screwed on POW-body.					
	Pull out work surface 1 unit of height (1HE)				Utensil drawer 1 unit of height (1 HE)	
	X-ray storage 6 or 7 units of height (6 or 7 HE)				Drawer 94,5mm 1,5 units of height (1,5 HE) 455 x 450 x 70mm (inner dimension) (W x D x H)	
	Drawer 126mm 2 units of height (2 HE) 455 x 450 x 100mm (inner dimension) (W x D x H)				Drawer 189mm 3 units of height (3 HE) 455 x 450 x 165mm (inner dimension) (W x D x H)	
	Bulk storage drawer 252mm, 315mm or 378mm 4, 5 or 6 units of height (4, 5 or 6 HE) 440 x 460mm (inner dimension)(W x D)				File drawer 5 or 6 units of height (5 or 6 HE)	

Patient Care

HE = Height Unit (63 mm)

		POW	EW		POW	EW												
	Medicine divider insert; 1,5 or 2 HE. Dimensions 455 x 449 x 42mm (WxDxH).				Utility insert. Dimensions 1,5 or 2 HE. 440 x 150mm (WxD).													
EWZ SME				EWZ SEU														
	Divider for drawers, 2HE, POW 200. For flexible use. 2 length dividers, aluminium 6 width dividers, polymer transparent Height 57 mm				Dividers for drawers, 3 HE, POW 200. For flexible use. 2 length dividers, aluminium 6 width dividers, polymer transparent. Height 100 mm.													
UTS2B200				UTS3B200														
	Divider for narrow drawers, 2HE, POW 300. For flexible use. 1 length divider, aluminium 4 width dividers, polymer transparent Height 57 mm				Dividers for narrow drawers, 3HE, POW 300. For flexible use. 1 length divider, aluminium 4 width dividers, polymer transparent. Height 100 mm													
UTS2B300S				UTS3B300S														
	Drawer divider, 3 HE. Dimensions 493 x 55mm (WxD).				Dividers for drawers, 2 oder 3 HE, POW 300. For flexible use. 3 length dividers, aluminium 8 width dividers, polymer transparent. Height 57 mm resp. 100 mm.													
EWZ SQT				UTS2B300 UTS3B300														
	Fold-down side shelf (compare ABS Top, page 45). Dimensions 500 x 445mm (WxD).				Fold-down work surface also as retro-fit. Dim. work surface 355 x 360 mm (W x D)													
POWZ AP				EWZ 12														
	Hooks for patient card file, set of 2. Available in different colours.				Disinfectant Dispenser <table border="1" data-bbox="1112 1664 1372 1802"> <tr> <td></td> <td>500 ml</td> <td>1000 ml</td> </tr> <tr> <td>EW</td> <td>HM1</td> <td>HM2</td> </tr> <tr> <td>POW</td> <td>HM1/EP</td> <td>HM2/EP</td> </tr> <tr> <td>Wall</td> <td>HMW1E</td> <td>HMW2E</td> </tr> </table>		500 ml	1000 ml	EW	HM1	HM2	POW	HM1/EP	HM2/EP	Wall	HMW1E	HMW2E	
	500 ml	1000 ml																
EW	HM1	HM2																
POW	HM1/EP	HM2/EP																
Wall	HMW1E	HMW2E																
EWZ PLANH				<i>halimed</i>	also see page 27													
	Utility bin for lines POW, EW, POWM. ABS material. Dimensions 300 x 400 x 100mm (WxDxH).				Utility bin for lines POW, EW, POWM. ABS material. Dimensions 600 x 400 x 100mm (WxDxH).													
PW21				PW40														

HE = Height Unit (63 mm)

		POW	EW		POW	EW
 <p>POWZ A09SE</p>	<p>Sensor - Waste bin, 9 l, with insert. Lid opens automatical when movement reaches sensor. Delivery incl. batteries. Also available as 20 l bin.</p>			 <p>EWZ E5</p>	<p>Bucket (5 litre) and holder.</p>	
 <p>EWZ A9</p>	<p>Waste bin (9 litre) and holder. Order code for 14 l = EWZ A14</p>			 <p>EWZ A9DL</p>	<p>9 l waste bin with lid, incl. holder. Order code for 14 l = EWZ A14DL</p>	
 <p>EWZ 2A9</p>	<p>Dual waste bin and holder assembly, including two 9-l waste baskets. Order code for 14 l = EWZ 2A14</p>			 <p>EWZ 2A9DL</p>	<p>Double bin (9l) incl. holder and lids. Order code for 14 l = EWZ 2A14DL</p>	
 <p>EWZ 3WSH</p>	<p>Disinfectant bin kit 3l, incl. holder with hooks. Dimension 445x205x138mm (WxDxH) .</p>			 <p>POWZ AH</p>	<p>Multipurpose hooks for side storage accessories.</p>	
 <p>EWZ FS2</p>	<p>Side storage norm rail. Model # for POW series 200, 300,400 : EWZ FS2 series 100, 800, 900: EWZ FS1 Model # for Exchange Carts series EW 400, 410: EWZ FS2</p>			 <p>POWZ 3WSH</p>	<p>Disinfectant bin kit, 3l incl. norm rail holder. Dimension 301x183 x 138mm (WxDxH).</p>	
 <p>POWZ KK3</p>	<p>Catheter Box 150 x 100 x 280 mm (WxDxH).</p>			 <p>POWZ KK6</p>	<p>Catheter Box 150 x 100 x 480 mm (WxDxH).</p>	

HE = Height Unit (63 mm)



		POW	EW		POW	EW
 <p>POWZ MB2000</p>	<p>Norm rail mounting for halibox MB2000.</p>			 <p>EWZ AOE</p>	<p>Ampoule opener Dimension 70 x 150 x 200 mm (WxDxH).</p>	
 <p>FS1B200</p>	<p>Norm rail (10 x 25 mm) overbridge. Model No. for POW Series 100: FS1B100 Series 200: FS1B200 Series 300: FS1B300 Series 800: FS1B800</p>			 <p>FS2B200</p>	<p>Double norm rail over-bridge. Model No. for POW Series 100: FS2B100 Series 200: FS2B200 Series 300: FS2B300 Series 800: FS2B800</p>	
 <p>POWZ 3SH</p>	<p>Dispenser for norm rail, 3 compartments Dimension 600x200x245mm (WxDxH).</p>			 <p>POWZ 3SFH</p>	<p>Dispenser for norm rail, 3 compartments, fifo (first in first out) for norm rail. Dimension 600x200x245mm (WxDxH).</p>	
 <p>POWZ 5SH</p>	<p>Dispenser for norm rail, 5 compartments. Dimension 600x135x245mm (WxDxH).</p>			 <p>POWZ 5SFH</p>	<p>Dispenser for norm rail, 5 compartments, fifo (first in first out) for norm rail. Dimension 600 x 135 x 165 mm (WxDxH).</p>	
 <p>POWZ HSP</p>	<p>Mounting for glove dispenser line POW = POW HSP line EW = EWZ HSP Dimension H = 125-190 mm, D = up to 84 mm.</p>			 <p>HX 35 TM</p>	<p>Derungs-examination lamp 35 W halogen, spot 10°, 32.000 Lux/0,5m. Reach 480 x 440 mm.</p>	
 <p>HM1 Wanne</p>	<p>Plastic drip bin for disinfectant dispenser halimed HM1.</p>			 <p>POWZ IFH</p>	<p>IV Pole, height adjustable.</p>	
 <p>POWZ HM1HR</p>	<p>Disinfectant dispenser halimed for POW and POW800 line. 500 ml = POWZ HM1HR 1000 ml = POWZ HM2HR</p>			 <p>POWZ MB25</p>	<p>Side mounted holder for Septobox MB 315S MB 320S MB 325S</p>	