

Our utility carts are of a solid weld, STAINLESS STEEL, tube frame design. The 600 x 400 mm shelf size is made to accommodate normed utility bins. The solid shelf inlays are available in a variety of colours (at an additional charge) and can be easily removed for cleaning. These carts are complimented by non-marking polymer swivel castors (two with brake) with a chrome plated core. **Maximum weight capacity per shelf = 80 kg.** Total weight capacity per cart = 200 kg.



Model # MW 862/C with for example slate blue shelves
Coloured shelves are available (at an additional charge)



Model # MW 863

Height mm	Length mm	Width mm	Height of lower shelf	Height of upper shelf	Distance between shelves	Size of shelves	Castors Ø mm	Weight kg	Model #
965	730	540	200	845	610	600 x 400	125	15	MW 642
965	730	540	200	845	300	600 x 400	125	20	MW 643
965	940	730	200	845	610	800 x 600	125	25	MW 862
965	940	730	200	845	300	800 x 600	125	30	MW 863

Max Utility Carts



Now mats with integrated antibacterial agent

- 3 shelf models
- Height 970 (990) mm
- 4 swivel castors ø 125 mm, 2 with brake
- castor housing: polyamid
- bilateral rose bearing.

METRO MAX Utility Cart

Width mm	Depth 457 mm		Depth 610 mm	
	Grid shelves	Solid shelves	Grid shelves	Solid shelves
610	FE 1824 GX2-3	FE 1824 FX2-3	FE 2424 GX2-3	FE 2424 FX2-3
762	FE 1830 GX2-3	FE 1830 FX2-3	FE 2430 GX2-3	FE 2430 FX2-3
914	FE 1836 GX2-3	FE 1836 FX2-3	FE 2436 GX2-3	FE 2436 FX2-3
1067	FE 1842 GX2-3	FE 1842 FX2-3	FE 2442 GX2-3	FE 2442 FX2-3
1220	FE 1848 GX2-3	FE 1848 FX2-3	FE 2448 GX2-3	FE 2448 FX2-3

Handles and shelves are made of STAINLESS STEEL. To reduce noise the shelves have an inner lining. All carts have non-marking polymer swivel castors (two with brake) with a polyamid core.

Maximum weight capacity per shelf = 40 kg. Total weight capacity per cart = 120 kg.



MW 26



MW 36

Height mm	Length mm	Width mm	Number of shelves	Height of lower shelf	Height of upper shelf	Distance between shelves	Size of shelves	Castors Ø mm	Weight kg	Model #
950	900	600	2	230	850	585	800 x 500	125	17	MW 26
950	900	600	3	230	850	275	800 x 500	125	21	MW 36
1290	900	600	4	230	1160	285	800 x 500	125	26	MW 46
1290	900	600	5	230	1160	205	800 x 500	125	30	MW 56



MW 28 L

Height mm	Length mm	Width mm	Height of lower shelf	Height of upper shelf	Distance between shelves	Size of shelves	Castors Ø mm	Weight kg	Model #
1000	1100	700	296	916	585	1000 x 600	125	23	MW 28 L
1000	1100	700	296	916	275	1000 x 600	125	28	MW 38 L

Utility cart, STAINLESS STEEL.

Heavy duty version with all around frame construction.
Non marking swivel castors Ø 125 mm.
Castor housing: Polyamid.

**Maximum weight capacity per shelf
max. 80 kg, total weight capacity
per cart 160 kg resp. 200 kg.**



BC 2030-3

Noise-reduced!

These carts are ideal for **manoeuvring in tight spaces** and are suitable for a wide range of applications. Shelves are specially designed to resist staining and are **easy to clean**. Ship's edge lip around shelf perimeter contains spills. Carts are available in 2 shelf, 3 shelf, 3 shelf 2 sided enclosed, and 3 shelf 3 sided enclosed variations. In non-enclosed models, the middle shelf is adjustable in 25 mm increments.

Shelves on all carts have a weight capacity of 30 kg (90 kg per cart). Carts are equipped with 4 swivel castors (2 with brake).



BC 2030-2



BCE 1627-3



BC 3E 2030-3

Height mm	Depth mm	Width mm	No. of Shelves	Usable Shelf Space mm	Distance b/w Shelves	Model # without Enclosure	Enclosure 2-sided	Enclosure 3-sided
940	455	750	2	380 x 630	550	BC 1627-2	—	—
940	455	750	3	380 x 630	250	BC 1627-3	BCE 1627-3	BC3E 1627-3
940	546	857	2	475 x 735	550	BC 2030-2	—	—
940	546	857	3	475 x 735	250	BC 2030-3	BCE 2030-3	BC3E 2030-3
940	686	1003	2	620 x 880	550	BC 2636-2	—	—
940	686	1003	3	620 x 880	250	BC 2636-3	BCE 2636-3	BC3E 2636-3

Height of upper shelf: 900 mm.



Utility Bin with STAINLESS STEEL holder, dimensions 290 x 400 x 100 mm (WxDxH)

Cart	Model #
BC 1627	BC UW11
BC 2030	BC UW12
BC 2636	BC UW13

Waste Basket and holder

Model	9 l	14 l
	280x170x265 mm	335x200x325 mm
BC 1627	BC AB91	BC AB141
BC 2030	BC AB92	BC AB142
BC 2636	BC AB93	BC AB143



BC2030-2D

The **Deep Ledge Utility Carts** are specially designed with a 70 mm deep shelf to contain product and spills. **Polymer shelves** are easy to clean and corrosion proof.

The middle shelf is adjustable in 25 mm increments.

Each shelf has a weight capacity of 30 kg, max. 90 kg per cart.



BC2030-3D

Model #	Dimensions (W x D x H) (mm)	Usable Shelf Space	No. of Shelves
BC 2030-2D	840 x 540 x 1060	480 x 730	2
BC 2030-3D	840 x 540 x 1060	480 x 730	3
BC 2636-2D	995 x 690 x 1060	625 x 885	2
BC 2636-3D	995 x 690 x 1060	625 x 885	3

Height of upper shelf: 980 mm.

Mobile Tray Rack



Mobile tray rack to accommodate Gastronorm trays for hotel and kitchen logistics. Various designs to suit your demands available.

4 swivel castors \varnothing 125mm, all with stop.

Special designs on request.

Dimensions (W x D x H) mm	Capacity	Model#
460 x 625 x 1630	18 GN 1/1, 36 GN 1/2	GN 160
660 x 745 x 1630	18 GN 2/1, 36 GN 1/1	GN 161